



## Dekalb Pediatric Center Dosing Guide

<b>Children's TYLENOL®</b> <i>Acetaminophen</i>		<u>Infant's/ Children's</u> <b>Oral Suspension</b> 160 mg/5 mL	<u>Children's</u> <b>Chewable Meltaway</b> 80 mg each	<u>Junior</u> <b>Strength Chewable Meltaway</b> 160 mg each	<u>Adult</u> <b>Regular Strength</b> 320 mg each	<u>Adult</u> <b>Extra Strength</b> 500 mg each
<b>Dose»</b>		Use enclosed dropper/measuring cup	<b>Meltaway</b>	<b>Meltaway</b>	<b>Tablet</b>	<b>Tablet</b>
<b>Weight</b>	<b>Age</b>					
<b>6-11 lbs</b>	<b>0-3 mos</b>	<b>1.25ml (¼tsp)</b>				
<b>12-17 lbs</b>	<b>4-11 mos</b>	<b>2.5ml (½tsp)</b>				
<b>18-23 lbs</b>	<b>12-23 mos</b>	<b>3.75ml (¾tsp)</b>				
<b>24-35 lbs</b>	<b>2-3 yrs</b>	<b>5ml (1tsp)</b>	<b>2</b>			
<b>36-47 lbs</b>	<b>4-5 yrs</b>	<b>7.5ml (1½tsp)</b>	<b>3</b>			
<b>48-59 lbs</b>	<b>6-8 yrs</b>	<b>10ml (2tsp)</b>	<b>4</b>	<b>2</b>	<b>1</b>	
<b>60-71 lbs</b>	<b>9-10 yrs</b>	<b>12.5ml (2½tsp)</b>	<b>5</b>	<b>2 ½</b>	<b>1</b>	
<b>72-95 lbs</b>	<b>11 yrs</b>	<b>15ml (3tsp)</b>	<b>6</b>	<b>3</b>	<b>1</b>	
<b>96lbs &amp; over</b>	<b>12yrs &amp; up</b>			<b>4</b>	<b>2</b>	<b>2 every 6 hours (6/day max)</b>

**All dosages may be repeated every 4 hours but not more than 5 times a day. Call us if fever persists for more than 3 days or if pain continues for more than 5 days.**

Use only enclosed dropper or accurate measuring device. Do not use with other products containing acetaminophen.

<b>Children's Motrin®</b> <i>Ibuprofen</i> <b>6 months and older</b>		<u>INFANT</u> <b>ORAL DROPS</b> 50 mg/1.25 mL	<u>CHILDREN'S</u> <b>SUSPENSION</b> 100 mg/5 mL	<u>JR. STRENGTH</u> <b>CHEWABLE TABLETS/CAPLETS</b> 100 mg each	<u>ADULT</u> <b>MOTRIN IB</b> 200 mg each
<b>Dose»</b>		<b>Dropperful**</b>	<b>Teaspoon</b>	<b>Tablet/Caplet</b>	<b>Tablet</b>
<b>Weight</b>	<b>Age</b>				
<b>12-17 lbs</b>	<b>6-11 mos</b>	<b>1.25 ml</b>	<b>2.5ml (½tsp)</b>		
<b>18-23 lbs</b>	<b>12-23 mos</b>	<b>1.875ml</b>	<b>3.75ml (¾ tsp)</b>		
<b>24-35 lbs</b>	<b>2-3 yrs</b>	<b>2.5ml</b>	<b>5ml (1tsp)</b>	<b>1</b>	
<b>36-47 lbs</b>	<b>4-5 yrs</b>		<b>7.5ml (1½ tsp)</b>	<b>1½</b>	
<b>48-59 lbs</b>	<b>6-8 yrs</b>		<b>10ml (2 tsp)</b>	<b>2</b>	
<b>60-71 lbs</b>	<b>9-10 yrs</b>		<b>12.5ml (2½ tsp)</b>	<b>2½</b>	
<b>72-95 lbs</b>	<b>11 yrs</b>		<b>15ml (3 tsp)</b>	<b>3</b>	
<b>&gt;96lbs</b>	<b>12&amp;above</b>				<b>2,(3 over 125lbs)</b>

**All dosages may be repeated every 6 to 8 hours but not more than 4 times a day. Call us if fever persists for more than 3 days or if pain continues for more than 5 days.**

\*\* Use dropper enclosed with package.

**Note: In case of overdose contact Poison Control at (404) 616-9000.**